



Tel: 023 95 49 86

Mail: contact@ghl-medical.com / comercial@ghl-medical.com

Adresse: SARL GHL MEDICAL N°53 SI EL HAOUAS AIN TAYA ALGER



- **3.5 MM DCP SMALL PLATE**
[Placa pequeña dcp de 3,5 mm]




HOLES :- 4, 5, 6, 7, 8, 9, 10, 11,
12, 13, 14
TYPE :- SS / TT

- **3.5 MM LC - DCP SMALL PLATE**
[Placa pequeña dcp lc de 3,5 mm]



HOLES :- 4, 5, 6, 7, 8, 9, 10, 11,
12, 13, 14
TYPE :- SS / TT

- **3.5 MM ONE THIRD TUBULAR PLATE**
[Placa tubular de un tercio de 3,5 mm]



HOLES :- 3, 4, 5, 6, 7, 8, 9, 10,
11, 12
TYPE :- SS / TT

- **3.5 MM ONE THIRD TUBULAR PLATE WITH C OLLAR**
[Placa tubular de un tercio de 3,5 mm con collar]



HOLES :- 3, 4, 5, 6, 7, 8, 9, 10,
11, 12
TYPE :- SS / TT

- **3.5 MM CURVED RECONSTRUCTION PLATE DC HOLES**
[Placa de reconstrucción curvada de 3,5 mm
Agujeros de CC]



HOLES :- 5, 6, 7, 8, 9, 10, 11,
12, 13, 14, 15, 16
TYPE :- SS / TT

- **3.5 MM STRAIGHT RECONSTRUCTION PLATE DC HOLES**
[Placa de reconstrucción recta de 3,5 mm
Agujeros CC]



HOLES :- 5, 6, 7, 8, 9, 10, 11,
12, 13, 14, 15, 16
TYPE :- SS / TT

- **3.5 MM SMALL T - PLATE RIGHT ANGLE 3 HEAD HOLES**
[Placa en T pequeña de 3,5 mm en ángulo
recto 3 orificios para la cabeza]



HOLES :- 3, 4, 5, 6, 7, 8, 9, 10
TYPE :- SS / TT

- **3.5 MM SMALL T - PLATE RIGHT ANGLE 4 HEAD HOLES**
[Placa en T pequeña de 3,5 mm en ángulo recto
4 orificios para la cabeza]



HOLES :- 3, 4, 5, 6, 7, 8, 9, 10
TYPE :- SS / TT

- 3.5 MM SMALL T - PLATE OBLIQUE ANGLE
3 HEAD HOLES
[Placa en T pequeña de 3,5 mm ángulo oblicuo
3 orificios para la cabeza]




HOLES :- 3, 4, 5, 6, 7, 8, 9, 10
TYPE :- SS / TT

- 3.5 MM Y RECONSTRUCTION PLATE
[2.4 mm lcp Placa de borde de cabeza
radial]



HOLES :- 6, 9, 12
TYPE :- SS / TT

- 3.5 MM CLOVERLEAF PLATE
[placa de hoja de trébol de 3,5 mm]



HOLES :- 3, 4, 5, 6, 7, 8, 9, 10,
11, 12
TYPE :- SS / TT

- 3.5 MM CALCANEAL PLATE
[placa de calcáneo de 3,5 mm]




HOLES :- 60, 70
TYPE :- SS / TT


- 3.5 MM CORTICAL SCREW SELF TAPPING
[Tornillo cortical autorroscante de 3,5 mm]




- 4.0 MM CANCELLOUS SCREW FULLY
THREADED
[Tornillo para esponjosa de 4,0 mm
totalmente roscado]



- 4.0 MM CANCELLOUS SCREW PARTIALLY
THREADED
[Tornillo para esponjosa de 4,0 mm
parcialmente roscado]



- 3.5 MM MALLEOLAR SCREW SELF TAPPING
[Tornillo maleolar autorroscante de 3,5 mm]




3.5 MM

NON LOCKING SYSTEM

   FOLLOW US

DHS / DCS INSTRUMENT SYSTEM



- 4.5 MM DCP NARROW PLATE

[Placa estrecha dcp de 4,5 mm]



HOLES :- 5, 6, 7, 8, 9, 10, 11,
12, 13, 14, 15, 16
TYPE :- SS / TT

- 4.5 MM DCP BROAD PLATE

[Placa ancha dcp de 4,5 mm]



HOLES :- 5, 6, 7, 8, 9, 10, 11,
12, 13, 14, 15, 16
TYPE :- SS / TT

- 4.5 MM LC - DCP NARROW PLATE

[4,5 mm lc - placa estrecha dcp]



HOLES :- 5, 6, 7, 8, 9, 10, 11,
12, 13, 14, 15, 16
TYPE :- SS / TT

- 4.5 MM LC - DCP BROAD PLATE

[Placa ancha de 4,5 mm lc - dcp]



HOLES :- 5, 6, 7, 8, 9, 10, 11,
12, 13, 14, 15, 16
TYPE :- SS / TT

- 4.5 MM SEMI TUBULAR PLATE


[Placa semitubular de 4,5 mm]



HOLES :- 3, 4, 5, 6, 7, 8, 9, 10,
11, 12
TYPE :- SS / TT

- 4.5 MM CURVED RECONSTRUCTION PLATE
DC HOLES

[Placa de reconstrucción curvada de 4,5 mm
con orificio de CC]



HOLES :- 5, 6, 7, 8, 9, 10, 11,
12, 13, 14, 15, 16
TYPE :- SS / TT

- 4.5 MM STRAIGHT RECONSTRUCTION
PLATE DC HOLES

[Placa de reconstrucción recta de 4,5 mm
con orificio de CC]



HOLES :- 5, 6, 7, 8, 9, 10, 11,
12, 13, 14, 15, 16
TYPE :- SS / TT

- 4.5 MM T - PLATE

[placa de 4,5 mm]



HOLES :- 4, 5, 6, 7, 8, 9, 10, 11,
12
TYPE :- SS / TT

- 4.5 MM T - BUTTRESS PLATE
[T de 4,5 mm - placa de contrafuerte]



HOLES :- 4, 5, 6, 7, 8, 9, 10, 11,
12
TYPE :- SS / TT

- 4.5 MM L - BUTTRESS PLATE
[4,5 mm L - contrafuerte]



HOLES :- 4, 5, 6, 7, 8, 9, 10, 11,
12
ANGLED :- LEFT / RIGHT
TYPE :- SS / TT

- 4.5 MM DCP CONDYLAR BUTTRESS PLATE
[Placa de refuerzo condilar dcp de 4,5 mm]



HOLES :- 5, 7, 9, 11, 13, 15
ANGLED :- LEFT / RIGHT
TYPE :- SS / TT

- 4.5 MM LC - DCP CONDYLAR BUTTRESS PLATE
[Palte de contrafuerte condilar lc dcp de 4,5 mm]



HOLES :- 5, 7, 9, 11, 13, 15
ANGLED :- LEFT / RIGHT
TYPE :- SS / TT

- 4.5 MM Y RECONSTRUCTION PLATE
[placa de reconstrucción de 4,5 mm y]



HOLES :- 6, 9, 12
TYPE :- SS / TT

- 4.5 MM LENGTHENING NARROW PLATE
8 HOLES
[Placa estrecha de alargamiento de 4,5 mm 8 agujeros]



LENGTH :- 30, 40, 50, 60, 70,
80
TYPE :- SS / TT

- 4.5 MM LENGTHENING BROAD PLATE
10 HOLES
[Placa ancha de alargamiento de 4,5 mm 10 agujeros]



LENGTH :- 50, 60, 70, 80, 90,
100, 110, 120
TYPE :- SS / TT

- 4.5 MM PROXIMAL TIBIA PLATE
[Placa tibial proximal de 4,5 mm]



HOLES :- 4, 6, 8, 10, 12, 14
ANGLED :- LEFT / RIGHT
TYPE :- SS / TT

- 4.5 MM DCP LATERAL TIBIAL HEAD BUTTRESS PLATE


[Placa de sostén de la cabeza de la tibia lateral dcp de 4,5 mm]



HOLES :- 5, 7, 9, 11, 13
ANGLED :- LEFT / RIGHT
TYPE :- SS / TT

- 4.5 MM LC - DCP LATERAL TIBIAL HEAD BUTTRESS PLATE

[Placa de sostén de cabeza tibial lateral dcp de 4,5 mm]



HOLES :- 5, 7, 9, 11, 13
ANGLED :- LEFT / RIGHT
TYPE :- SS / TT

- 4.5 MM SPOON PLATE

[plato cuchara de 4,5 mm]



HOLES :- 5, 6, 7, 8, 9, 10, 11,
12, 13, 14, 15, 16
TYPE :- SS / TT

- 4.5 MM HOOK PLATE

[placa de gancho de 4,5 mm]



HOLES :- 4
TYPE :- SS / TT

- 4.5 MM DCP COBRA HEAD PLATE

[Placa de cabeza de cobra dcp de 4,5 mm]



HOLES :- 8, 9, 10, 11
TYPE :- SS / TT

- 4.5 MM 135° DHS PLATE LONG BARREL - DC HOLES

[4,5 mm 135° placa dhs cilindro largo - orificios dc]



HOLES :- 3, 4, 5, 6, 7, 8, 9, 10,
11, 12, 13, 14
TYPE :- SS / TT

- 4.5 MM 130° DHS PLATE LONG BARREL - DC HOLES


[4,5 mm 130° placa dhs cilindro largo - orificios dc]



HOLES :- 3, 4, 5, 6, 7, 8, 9, 10,
11, 12, 13, 14
TYPE :- SS / TT

- 4.5 MM 135° DHS PLATE SHORT BARREL - DC HOLES

[4,5 mm 135° placa dhs cilindro corto - orificios dc]



HOLES :- 3, 4, 5, 6, 7, 8, 9, 10,
11, 12, 13, 14
TYPE :- SS / TT

- 4.5 MM 130° DHS PLATE SHORT BARREL
- DC HOLES
[4,5 mm 130° placa dhs cilindro corto
- orificios dc]



HOLES :- 3, 4, 5, 6, 7, 8, 9, 10,
11, 12, 13, 14
TYPE :- SS / TT

- 4.5 MM 135° DHS PLATE LONG BARREL
- ROUND HOLES
[4,5 mm 135° placa dhs cañón largo
- agujeros redondos]




HOLES :- 3, 4, 5, 6, 7, 8, 9, 10,
11, 12, 13, 14
TYPE :- SS / TT

- 4.5 MM 130° DHS PLATE LONG BARREL
- ROUND HOLES
[Plato corto 4,5 mm 135° dhs cañón corto
- agujeros redondos]




HOLES :- 3, 4, 5, 6, 7, 8, 9, 10,
11, 12, 13, 14
TYPE :- SS / TT

- 4.5 MM 135° DHS PLATE SHORT BARREL
- ROUND HOLES
[plato cuchara de 4,5 mm]




HOLES :- 3, 4, 5, 6, 7, 8, 9, 10,
11, 12, 13, 14
TYPE :- SS / TT

- 4.5 MM 130° DHS PLATE SHORT BARREL
- ROUND HOLES
[plato cuchara de 4,5 mm]




HOLES :- 3, 4, 5, 6, 7, 8, 9, 10,
11, 12, 13, 14
TYPE :- SS / TT

- 4.5 MM 95° DCS PLATE - DC HOLES
[plato cuchara de 4,5 mm]



HOLES :- 4, 5, 6, 7, 8, 9, 10,
11, 12, 13, 14
TYPE :- SS / TT

- 4.5 MM 95° DCS PLATE - ROUND HOLES
[plato cuchara de 4,5 mm]



HOLES :- 4, 5, 6, 7, 8, 9, 10,
11, 12, 13, 14
TYPE :- SS / TT

- 4.5 MM 120° DOUBLE ANGLE DCS PLATE
- DC HOLES
[plato cuchara de 4,5 mm]



HOLES :- 4, 5, 6, 7, 8
TYPE :- SS / TT

● 4.5 MM CORTICAL SCREW SELF TAPPING

[Tornillo cortical autorroscante de 4,5 mm]



● 6.5 MM CANCELLOUS SCREW 16 MM THREADED

[Tornillo para esponjosa de 6,5 mm Rosca de 16 mm]




● 6.5 MM CANCELLOUS SCREW 32 MM THREADED

[Tornillo para esponjosa de 6,5 mm Roscado de 32 mm]




● 6.5 MM CANCELLOUS SCREW FULLY THREADED

[Tornillo para esponjosa de 6,5 mm totalmente roscado]



● 4.5 MM MALLEOLAR SCREW SELF TAPPING

[Tornillo maleolar autorroscante de 4,5 mm]



4.5 MM

4.5 MM LARGE FRAGMENT
INSTRUMENT SET (BASIC)


4.5 MM LARGE FRAGMENT INSTRUMENT SET

ORDER NOW



4.5 MM LARGE FRAGMENT INSTRUMENT SYSTEM (BASIC)


   FOLLOW US



4.5 MM CC INSTRUMENT SET




6.5 MM CC INSTRUMENT SYSTEM





PELVIC INSTRUMENT SET





Contactez Nous

